Applicant : Hsuan-Yin Lan-Hargest, et al.

Serial No.: 10/025,947

Filed

: December 26, 2001

Page

each of X<sup>1</sup> and X<sup>2</sup>, independently, is O or S;

each of  $Y^1$  and  $Y^2$ , independently, is -CH<sub>2</sub>-, -O-, -S-, -N(R<sup>a</sup>)-, -N(R<sup>a</sup>)-C(O)-O-,  $-O-C(O)-N(R^a)$ ,  $-N(R^a)-C(O)-N(R^b)$ , -O-C(O)-O, or a bond; each of  $R^a$  and  $R^b$ , independently, being hydrogen, alkyl, alkenyl, alkynyl, alkoxy, hydroxylalkyl, hydroxyl, or haloalkyl;


Attorney's Docket No.: 12938-003002

L is a straight  $C_{3-12}$  hydrocarbon chain optionally containing at least one double bond, at least one triple bond, or at least one double bond and one triple bond; said hydrocarbon chain being optionally substituted with  $C_{1-4}$  alkyl,  $C_{2-4}$  alkenyl,  $C_{2-4}$  alkynyl,  $C_{1-4}$  alkoxy, hydroxyl, halo, amino, nitro, cyano, C<sub>3-5</sub> cydoalkyl, 3-5 membered heterocycloalkyl, monocyclic aryl, 5-6 membered heteroaryl, C<sub>1-4</sub> alkyloarbonyloxy, C<sub>1-4</sub> alkyloxycarbonyl, C<sub>1-4</sub> alkylcarbonyl, or formyl; and further being optionally interrupted by -O-, -N(R<sup>c</sup>)-, -N(R<sup>c</sup>)-C(O)-O-, -O-C(O)-N(R°)-, -N(R°)-C(O)-N(R<sup>d</sup>)-, or -O-C(O)-O-; each of R° and R<sup>d</sup>, independently, being hydrogen, alkyl, alkenyl, alkynyl, alkoxy, hydroxylalkyl, hydroxyl, or haloalkyl; provided that when L contains two or more double bonds, the double bonds are not adjacent to each other; that when L contains three double bonds, said hydrocarbon chain is further substituted with C<sub>1-4</sub> alkyl, C<sub>2-4</sub> alkenyl, C<sub>2-4</sub> alkynyl, C<sub>1-4</sub> alkoxy, hydroxyl, halo, amino, nitro, cyano, C<sub>3-5</sub> cycloalkyl, 3-5 membered heterocycloalkyl, monocyclic aryl, 5-6 membered heteroaryl, C<sub>1-4</sub> alkylcarbonyloxy, C<sub>1-4</sub> alkyloxycarbonyl, C<sub>1-4</sub> alkylcarbonyl, or formyl; and further provided that when L contains zero, one, or two conjugated double bonds and A is C<sub>1-4</sub> alkyl phenyl or unsubstituted phenyl,  $Y^1$  is not a bond or  $CH_2$ , and  $X^2$  is not a bond or  $CH_2$ ;

or a salt thereof.-

--13. (Amended) The compound of claim 1, wherein A is phenyl optionally substituted with alkyl, alkenyl, hydroxyl, hydroxylalkyl, halo, haloalkyl, or amino.--

√-22. (Amended) A compound of formula (I):



Applicant : Hsuan-Yin Lan-Hargest, et al.

Serial No.: 10/025,947

Filed : December 26, 2001

Page : 3

wherein

A is a cyclic moiety selected from the group consisting of aryl and heteroaryl; the cyclic moiety being optionally substituted with alkyl, alkenyl, alkynyl, alkoxy, hydroxylalkyl, or amino;

Attorney's Docket No.: 12938-003002

each of  $X^1$  and  $X^2$ , independently, is O or S; each of  $Y^1$  and  $Y^2$ , independently, is -CH<sub>2</sub>-, -O-, -S-, -N(R<sup>a</sup>)-, -N(R<sup>a</sup>)-C(O)-O-, -O-C(O)-N(R<sup>a</sup>)-, -N(R<sup>a</sup>)-C(O)-N(R<sup>b</sup>)-, -O-C(O)-O-, or a bond; each of R<sup>a</sup> and R<sup>b</sup>, independently, being hydrogen, alkyl, hydroxylalkyl, or haloalkyl;

L is a straight  $C_{3-12}$  hydrocarbon chain optionally containing at least one double bond, at least one triple bond, or at least one double bond and one triple bond; said hydrocarbon chain being optionally substituted with  $C_{1-4}$  alkyl,  $C_{2-4}$  alkenyl,  $C_{2-4}$  alkynyl,  $C_{1-4}$  alkoxy, or amino, and further optionally interrupted by -O- or -N( $\mathbb{R}^c$ )-, where  $\mathbb{R}^c$  is hydrogen, alkyl, hydroxylalkyl, or haloalkyl; provided that when L contains two or more double bonds, the double bonds are not adjacent to each other; that when L contains three double bonds, said hydrocarbon chain is substituted with  $C_{1-4}$  alkyl,  $C_{2-4}$  alkenyl,  $C_{2-4}$  alkynyl,  $C_{1-4}$  alkoxy, or amino; and further provided that when L contains zero, one, or two conjugated double bonds and A is  $C_{1-4}$  alkyl phenyl or unsubstituted phenyl,  $Y^1$  is not a bond or  $CH_2$ , and  $Y^2$  is not a bond or  $CH_2$ ;

or a salt thereof.

